



1. Chemical product and company identification

Product name	Castrol SLX Professional OE 5W-30
MSDS #	465379
Code	465379-US10
Product use	Motor oils. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Manufacturer	BP Lubricants USA Inc. 1500 Valley Road Wayne, NJ 07470 Telephone: (973) 633-2200 Telecopier: (973) 633-7475
EMERGENCY HEALTH INFORMATION:	1 (800) 447-8735 Outside the US: +1 703-527-3887 (CHEMTREC)
EMERGENCY SPILL INFORMATION:	1 (800) 424-9300 CHEMTREC (USA)
OTHER PRODUCT INFORMATION	1 (866) 4 BP - MSDS (866-427-6737 Toll Free - North America) email: bpcares@bp.com

2. Composition/information on ingredients

Ingredient name	CAS #	%
Base oil - highly refined	64742-54-7	80 - 85

3. Hazards identification

Physical state	Liquid.
Color	Clear.
Emergency overview	CAUTION! MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Routes of entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Potential health effects	
Eyes	May cause eye irritation.
Skin	May cause skin irritation. Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Inhalation	May cause respiratory tract irritation.
Ingestion	Ingestion may cause gastrointestinal irritation and diarrhea.

Product name	Castrol SLX Professional OE 5W-30	Product code	465379-US10	Page: 1/5
Version	1	Date of issue	03/07/2007.	
		Format	US	Language
				ENGLISH.
		Build	5.3.1	(ENGLISH)

Medical conditions
aggravated by over-
exposure

None identified.

See toxicological information (section 11).

4. First aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact	Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear. If large quantities of this material are swallowed, call a physician immediately.

5. Fire-fighting measures

Flammability of the product	May be combustible at high temperature.
Products of combustion	These products are carbon oxides nitrogen oxides
Unusual fire/explosion hazards	This material is not explosive as defined by established regulatory criteria.
Fire-fighting media and instructions	In case of fire, use water fog, foam, dry chemicals, or carbon dioxide. Do not use water jet.
Protective clothing (fire)	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire fighting procedures (See Section: "Fire-fighting measures").
Environmental precautions and clean-up methods	If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways. See Section 13 for Waste Disposal Information.
Personal protection in case of a large spill	

7. Handling and storage

Handling	Avoid contact with skin and clothing. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Use only with adequate ventilation. Avoid breathing vapor or mist. Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area. Empty containers may contain harmful, flammable/combustible or explosive residue or vapors. Do not cut, grind, drill, weld, reuse or dispose of containers unless adequate precautions are taken against these hazards.

Product name Castrol SLX Professional OE 5W-30	Product code 465379-US10	Page: 2/5
Version 1	Date of issue 03/07/2007.	Format US
	Build 5.3.1	Language ENGLISH. (ENGLISH)

8. Exposure controls/personal protection

Occupational exposure limits

Ingredient name

Base oil - highly refined

Occupational exposure limits

ACGIH (United States).

STEL: 10 mg/m³ 15 minute(s). Form: Oil mist, mineral

TWA: 5 mg/m³ 8 hour(s). Form: Oil mist, mineral

OSHA (United States).

TWA: 5 mg/m³ 8 hour(s). Form: Oil mist, mineral

Some states may enforce more stringent exposure limits.

Control Measures

Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the work-station location.

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Personal protection

Eyes

Avoid contact with eyes. Chemical splash goggles.

Skin and body

Avoid contact with skin and clothing. Wear suitable protective clothing.

Respiratory

Use only with adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable.

Hands

Wear clothing and footwear that cannot be penetrated by chemicals or oil.

Recommended: Nitrile gloves.

The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

Consult your supervisor or S.O.P. for special handling directions

Consult local authorities for acceptable exposure limits.

9. Physical and chemical properties

Physical state

Liquid.

Color

Clear.

Heat of combustion

Not available.

Pour Point

-39 °C

Specific gravity

0.85

Solubility

insoluble in water.

Viscosity

Kinematic: 12 mm²/s (12 cSt) at 100°C

10. Stability and reactivity

Stability and reactivity

The product is stable.

Conditions to avoid

Not available.

Incompatibility with various substances

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products

Products of combustion : carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide) , nitrogen oxides (NO, NO₂ etc.) and Hydrogen Sulfide (H₂S) .

Product name Castrol SLX Professional OE 5W-30

Product code 465379-US10

Page: 3/5

Version 1

Date of issue 03/07/2007.

Format US

Language ENGLISH.

Build 5.3.1

(ENGLISH)

11. Toxicological information

Chronic toxicity

Carcinogenic effects	No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA).
Mutagenic effects	No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a mutagen.
Reproductive effects	This product contains low levels of para-dodecylphenol. Para-dodecylphenol given orally to rats repeatedly at high dose levels caused adverse reproductive effects. The relevance of these findings to humans is uncertain. These effects are not expected to occur with the use of this product as intended when good personal hygiene is practiced.
Teratogenic effects	This product contains low levels of para-dodecylphenol. Para-dodecylphenol given orally to rats repeatedly at high dose levels caused teratogenic effects (cleft palate and skeletal malformations). The relevance of these findings to humans is uncertain. These effects are not expected to occur with the use of this product as intended when good personal hygiene is practiced.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

13. Disposal considerations

Waste information	Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.
--------------------------	---

Consult your local or regional authorities.

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

U.S. Federal regulations	United States inventory (TSCA 8b): All components are listed or exempted. TSCA 12(b) one-time export notification:: Diphenylamine This product is not regulated under Section 302 of SARA and 40 CFR Part 355. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Castrol SLX Professional OE 5W-30: Immediate (Acute) Health Hazard
SARA 313	
Form R - Reporting requirements	This product does not contain any hazardous ingredients at or above regulated thresholds.
Supplier notification	This product does not contain any hazardous ingredients at or above regulated thresholds. CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4):: Zinc alkyl dithiophosphate; Zinc alkyl dithiophosphate;

State regulations

Product name	Castrol SLX Professional OE 5W-30	Product code	465379-US10	Page:	4/5	
Version	1	Date of issue	03/07/2007.	Format	US	
			Build	5.3.1	Language	ENGLISH.
					(ENGLISH)	

Massachusetts
Substances

Massachusetts RTK: None of the components are listed.

New Jersey
Hazardous
Substances

New Jersey Hazardous Substances: None of the components are listed.

Pennsylvania RTK
Hazardous
Substances

Pennsylvania RTK: None of the components are listed.

California Prop 65: No products were found

Inventories

Canada inventory: All components are listed or exempted.

Europe inventory: Not determined.

Australian Inventory Status: Not determined.

China inventory (IECSC): All components are listed or exempted.

Japan inventory (ENCS): All components are listed or exempted.

Korea inventory (KECI): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

16. Other information

Label requirements

CAUTION!

MAY CAUSE EYE IRRITATION.
MAY CAUSE SKIN IRRITATION.
MAY CAUSE RESPIRATORY TRACT IRRITATION.

HMIS® Rating :

Health - 1
Flammability 1
Physical Hazard 0
Personal protection X

**National Fire
Protection
Association
(U.S.A.)**



History

Date of issue 03/07/2007.

Date of previous issue 03/06/2007.

Prepared by Product Stewardship

Notice to reader

NOTICE : This Material Safety Data Sheet is based upon data considered to be accurate at the time of its preparation. Despite our efforts, it may not be up to date or applicable to the circumstances of any particular case. We are not responsible for any damage or injury resulting from abnormal use, from any failure to follow appropriate practices or from hazards inherent in the nature of the product.

Product name	Castrol SLX Professional OE 5W-30	Product code	465379-US10	Page:	5/5
Version	1	Date of issue	03/07/2007.	Format	US
				Language	ENGLISH.
			Build 5.3.1		(ENGLISH)

Anita Camarena

From: Kevin Larson
Sent: Friday, March 23, 2007 1:53 PM
To: Anita Camarena
Subject: Re: WINCHESTER AUTO

Pac Supply, I think.

Thanks

Kevin

Sent from my BlackBerry Wireless Handheld

-----Original Message-----

From: Anita Camarena <acamarena@CoastOil.com>
To: Kevin Larson <klarson@CoastOil.com>
Sent: Fri Mar 23 11:29:33 2007
Subject: RE: WINCHESTER AUTO

OK, THX - WHAT ABOUT THE CASTROL?

-----Original Message-----

From: Kevin Larson
Sent: Friday, March 23, 2007 11:08 AM
To: Anita Camarena
Subject: Re: WINCHESTER AUTO

Chevron and Mobil are from Redwood Oil

Valvoline is from Levins

Thanks

Kevin

Sent from my BlackBerry Wireless Handheld

-----Original Message-----

From: Anita Camarena <acamarena@CoastOil.com>
To: Kevin Larson <klarson@CoastOil.com>
Sent: Fri Mar 23 11:02:11 2007
Subject: FW: WINCHESTER AUTO

THEIR CURRENT SUPPLIER FOR THE VALVOLINE, MOBIL AND CHEVRON PRODUCTS?

From: Anita Camarena
Sent: Friday, March 23, 2007 10:59 AM
To: Kevin Larson
Subject: WINCHESTER AUTO

WHO IS THEIR CURRENT SUPPLIER FOR CASTROL PRODUCTS?

Anita Camarena

From: Kevin Larson
Sent: Friday, March 23, 2007 1:54 PM
To: Anita Camarena
Subject: Re: WINCHESTER AUTO

It used to be Redwood...now I believe it is Pac Supply

Thanks

Kevin

-----Original Message-----

From: Anita Camarena
To: Kevin Larson
Sent: Mar 23, 2007 9:59 AM
Subject: WINCHESTER AUTO

WHO IS THEIR CURRENT SUPPLIER FOR CASTROL PRODUCTS?

Sent from my BlackBerry Wireless Handheld